

RIVKLE[®] plus
made by **BÖLLHOFF**



RIVKLE[®] plus

Steel blind rivet nuts
Availability, Simplicity and Quality

Ecrous noyés à sertir
Disponibilité, Simplicité et Qualité

Blindnietmuttern
Verfügbarkeit, Einfachheit und Qualität


Inserti filettati
Disponibilità, Semplicità e Qualità

Tuercas remachables
Disponibilidad, Simplicidad y Calidad

BÖLLHOFF

RIVKLE® plus

Service first - Service avant tout - Service first - Il Servizio prima di tutto - Ante todo, servicio



Availability All the RIVKLE® plus range is immediately available from stock
Simplicity Our range of 30 RIVKLE® plus covers 80% of all your requirements
Quality RIVKLE® plus carries the Böllhoff logo, guarantee of high quality product

Disponibilité Toute la gamme RIVKLE® plus est immédiatement disponible sur stock
Simplicité Notre gamme de 30 RIVKLE® plus couvre 80 % de vos besoins
Qualité Les RIVKLE® plus portent le logo Böllhoff, garantissant des produits de qualité



Verfügbarkeit Alle RIVKLE® plus Produkte sind für Sie kurzfristig ab Lager verfügbar
Einfachheit 80% Ihrer Bedarfe werden durch die optimierte Variantenvielfalt von RIVKLE® plus erfüllt
Qualität RIVKLE® plus ist mit dem Böllhoff Logo gekennzeichnet und dadurch als Qualitätsprodukt ausgezeichnet




Disponibilità Tutta la gamma RIVKLE® plus è immediatamente disponibile in stock
Semplicità La gamma RIVKLE® plus con 30 codici può coprire l'80% delle vostre esigenze applicative
Qualità Gli inserti RIVKLE® plus portano il logo Bollhoff impresso, sinonimo di qualità

Disponibilidad Toda la gama de RIVKLE® plus está disponible en stock de manera permanente
Simplicidad Nuestra gama de 30 RIVKLE® plus cubre el 80% de sus necesidades
Calidad Las RIVKLE® plus llevan la marca del logo de Böllhoff, garantía de productos de gran calidad

RIVKLE® plus

Setting - Sertissage - Einbau - Posa - Colocación








Setting process - Cycle de sertissage - Setzvorgang - Principi di posa - Colocación de la RIVKLE®







Setting tools - Outils de pose - Setzwerkzeuge - Apparecchi di posa - Aparatos de colocación

	Manual - Manuels - Handeinbau Manuale - Manual		Pneumatic - Pneumatiques - Pneumatische Einbauwerkzeuge Pneumatici - Oleoneumáticas		
	BRK01	BRK10	RIVKLE® P1007	RIVKLE® P2007	RIVKLE® P2005
	0,6 Kg	1,9 Kg	1,8 Kg	2,2 Kg	2,6 Kg
	235 119 00 000	235 120 00 000	236 157 01 000	236 156 01 000	236 155 01 000
RIVKLE® plus Ø	M4	■	■	■	■
	M5	■	■	■	■
	M6	■	■	■	■
	M8		■	■	■
	M10		■		■

RIVKLE® plus Steel - Acier - Stahl - Acciaio - Acero


												 Cod.
		d (mm)	L (mm)	B (mm)	e (min - max) (mm)	Ø (mm)	H (mm)	S (mm)	L2 (mm)	E (mm)		
Flat head Tête plate Flachkopf Testa piatta Cabeza plana		M4	11,3	9,0	0,5 - 3,0	6	-	S=4,5-e	5,8	1,0	233 07 040 230	
		M5	13,0	10,0	0,5 - 3,0	7	-	S=4,7-e	7,3	1,0	233 07 050 230	
		M6	14,5	13,0	0,5 - 3,0	9	-	S=5,0-e	8,0	1,5	233 07 060 230	
		M6	14,5	13,0	3,0 - 5,5	9	-	S=7,5-e	8,2	1,5	233 07 060 255	
		M8	17,2	16,0	0,5 - 3,0	11	-	S=5,5-e	11,0	1,5	233 07 080 230	
		M8	18,0	16,0	3,0 - 5,5	11	-	S=8,1-e	11,1	1,5	233 07 080 255	
		M10	20,0	19,0	0,7 - 3,5	13	-	S=6,1-e	13,9	2,0	233 07 100 235	
		M4	11,3	9,0	0,5 - 3,0	-	6	S=4,5-e	5,8	1,0	233 41 040 230	
		M5	13,0	10,0	0,5 - 3,0	-	7	S=4,7-e	7,3	1,0	233 41 050 230	
		M6	14,5	13,0	0,5 - 3,0	-	9	S=5,0-e	8,0	1,5	233 41 060 230	
Thin head Tête fine Kleiner Senkkopf Testa sottile Cabeza reducida		M8	18,0	16,0	0,5 - 3,0	-	11	S=5,3-e	11,2	1,5	233 41 080 230	
		M4	11,0	6,7	0,5 - 3,0	6	-	S=4,9-e	5,8	0,3	343 67 040 230	
		M5	13,0	8,0	0,5 - 3,0	7	-	S=5,3-e	7,4	0,3	343 67 050 230	
		M6	14,0	10,0	0,5 - 3,0	9	-	S=5,1-e	8,5	0,4	343 67 060 230	
		M8	17,5	12,0	0,5 - 3,0	11	-	S=6,0-e	11,1	0,4	343 67 080 230	
		M10	21,0	14,0	0,7 - 3,5	13	-	S=6,5-e	14,0	0,5	343 67 100 235	
		M4	11,0	7,5	0,5 - 3,0	-	6	S=4,7-e	6,0	0,3	343 41 040 230	
		M5	13,0	8,7	0,5 - 3,0	-	7	S=5,2-e	7,5	0,3	343 41 050 230	
		M6	14,0	10,9	0,5 - 3,0	-	9	S=5,3-e	8,3	0,4	343 41 060 230	
		M8	17,5	13,3	0,5 - 3,0	-	11	S=5,8-e	11,3	0,4	343 41 080 230	

RIVKLE® plus Technical data - Données techniques - Technische Daten - Dati tecnici - Datos técnicos

 Ø			 Wmax
M4	6 800 N	3 Nm	8,6 mm
M5	10 000 N	6 Nm	10,1 mm
M6	15 000 N	10 Nm	13,0 mm
M8	27 000 N	24 Nm	15,0 mm
M10	37 000 N	48 Nm	18,0 mm

RIVKLE® plus Applications - Applications - Applikationen - Applicazioni - Aplicaciones

Applications in all industrial sectors
 Applications dans tous les secteurs industriels
 Anwendungsbeispiel in Allgemeinindustrie
 Applicazioni in tutti i settori industriali
 Aplicaciones en todos los sectores de la industria



Böllhoff International with companies in :

Argentina
Austria
Brazil
Canada
China
Czech Republic
France
Germany
Hungary
India
Italy
Japan
Mexico
Poland
Romania
Russia
Slovakia
Spain
Turkey
United Kingdom
USA

Apart from these 21 countries, Böllhoff supports its international customers in other important industrial markets in close partnership with agents and dealers.

Subject to technical change.
Reprinting, even in extract form, only permitted with express consent.
Observe protective note according to DIN 34.

Böllhoff Group
Please find your local contact on www.boellhoff.com
or contact us under fasteningtechnology@boellhoff.com

